



## Dimensiones de longitud del refuerzo

Motor	Lóbulos	Etapas	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	L11	L12	L13	L14
2-7/8"	5/6	3.5	4.55	6.69	11.711	12.65	12.86	n/a	n/a	n/a	n/a	31.002	113.5	124.5	124.23	132.58
2-7/8"	5/6	4.7	4.55	6.69	11.711	12.65	12.86	n/a	n/a	n/a	n/a	31.002	122	134	146	156
3 3/4"	7/8	2.3	5.13	9.21	13.26	20.14	31.23	33.17	44.96	49.88	60.88	61.38	189.88	201.88	199.88	219.88
3 3/4"	7/8	6.7	5.13	9.21	13.26	20.14	31.23	33.17	44.96	49.88	60.88	61.38	232.88	240.88	240.24	252.88
4 3/4"	6/7	8	6.65	13.20	32.33	33.95	40.02	41.45	57.45	62.34	78.59	79.09	312.59	324.59	324.21	347.59
4 3/4"	5/6	8.3	6.65	13.20	32.33	33.95	40.02	41.45	57.45	62.34	78.59	79.09	308.49	321.90	320.49	346.9
4 3/4"	7/8	3.8	6.65	13.20	32.33	33.95	40.02	41.45	57.45	62.34	78.59	79.09	257.09	265.59	269.09	288.59
4 3/4"	7/8	2.6	6.65	13.20	32.33	33.95	40.02	41.45	57.45	62.34	78.59	79.09	299.09	307.89	311.09	330.89
4 3/4"	7/8	4.5	6.65	13.20	32.33	33.95	40.02	41.45	57.45	62.34	78.59	79.09	299.09	307.89	311.09	330.89
5"	6/7	8	6.65	13.20	32.33	33.95	40.02	41.45	57.45	62.34	78.59	79.09	312.59	324.59	324.21	347.59
6-1/2"	7/8	5	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94.37	282.37	287.37	296.87	317.37
6-1/2"	4/5	7	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94.37	296.87	307.47	311.37	337.47
6-1/2"	7/8	2.9	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94,37	315.17	321.67	329.67	351.67
6-1/2"	7/8	3.5	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94,37	355.17	361.14	369.14	391.67
6 3/4"	7/8	5	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94.37	282.37	287.37	296.87	317.37
6 3/4"	7/8	5.7	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94.37	346.37	352.87	360.87	382.87
6 3/4"	4/5	7	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94.37	296.87	307.47	311.37	337.47
6 3/4"	7/8	2.9	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94.37	307.37	312.87	321.87	342.37
6 3/4"	7/8	3.5	7.25	14.55	39.75	41.00	46.07	49.40	67.68	73.62	92.87	94.37	355.17	361.14	369.14	391.67
8"	5/6	6	8.50	17.88	47.54	48.00	56.29	58.40	80.24	87.26	108.01	110.01	333.01	352.81	349.01	388.31
8"	7/8	4	8.50	17.88	47.54	48.00	56.29	58.40	80.24	87.26	108.01	110.01	306.31	311.21	322.31	346.71
8"	7/8	3.4	8.50	17.88	47.54	48.00	56.29	58.40	80.24	87.26	108.01	110.01	403.01	408.01	419.01	443.51
9-5/8"	5/6	5	9.25	15.82	43.07	54.6	54.6	64.8	69.6	92.52	123.93	125.93	347.93	355.93	363.93	391.43

## Dimensiones D.E. del refuerzo

Motor	Lóbulos	Etapas	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12
2-7/8"	5/6	3.5	2.94	2.94	n/a	1.88	3.00	2.88	2.00	2.00	2.00	1.65	1.69	2.00
2-7/8"	5/6	4.7	2.94	2.94	n/a	1.88	3.00	2.88	2.00	2.00	2.00	1.91	1.66	2.00
3 3/4"	7/8	2.3	3.38	3.75	4.25	2.13	2.63	2.13	2.63	4.00	2.13	2.25	3.75	3.75
3 3/4"	7/8	6.7	3.38	3.75	4.25	2.13	2.63	2.13	2.63	4.00	2.13	2.27	3.75	3.75
4 3/4"	6/7	8	4.50	3.15	5.25	2.44	5.10	3.25	3.60	3.75	3.60	3.01	5.24	5.00
4 3/4"	5/6	8.3	4.50	3.15	5.25	2.44	5.10	3.25	3.60	3.75	3.60	2.91	5.24	5.00
4 3/4"	7/8	3.8	4.50	3.15	5.25	2.44	5.10	3.25	3.60	3.75	3.60	2.94	5.24	5.00
4 3/4"	7/8	2.6	4.50	3.15	5.25	2.44	5.10	3.25	3.60	3.75	3.60	3.09	5.24	5.00
4 3/4"	7/8	4.5	4.50	3.15	5.25	2.44	5.10	3.25	3.60	3.75	3.60	3.09	5.24	5.00
5"	6/7	8	4.50	3.15	5.25	2.44	5.10	3.25	3.60	3.75	3.60	3.01	5.24	5.00
6-1/2"	7/8	5	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.50	4.52	6.50	6.50
6-1/2"	4/5	7	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.50	4.22	6.50	6.50
6-1/2"	7/8	2.9	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.50	4.29	6.50	6.50
6-1/2"	7/8	3.5	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.50	4.29	6.50	6.50
6-3/4"	7/8	5	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.75	4.52	6.50	6.50
6-3/4"	7/8	5.7	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.75	4.64	6.50	6.50
6-3/4"	4/5	7	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.75	4.22	6.50	6.50
6-3/4"	7/8	2.9	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.75	4.29	6.50	6.50
6-3/4"	7/8	3.5	6.00	4.44	7.25	3.28	6.60	4.00	5.00	5.14	6.75	4.29	6.50	6.50
8"	5/6	6	7.50	5.56	8.25	4.14	8.06	5.00	5.85	5.87	5.85	5.16	8.25	8.00
8"	7/8	4	7.50	7.00	8.25	4.14	8.06	5.00	5.85	5.87	5.85	5.18	8.25	8.00
8"	7/8	3.4	7.50	5.56	8.25	4.14	8.06	5.00	5.85	5.87	5.85	5.30	8.25	8.00
9-5/8"	5/6	5	9.00	9.54	10.25	6.64	10.90	9.62	5.90	5.50	6.60	6.29	6.60	9.62